

Material Safety Data Sheet

RIT® Fiber Reactive Tie-Dye Kit

Page 1 of 4
Rev. Date
05/27/09

SECTION #1 – PRODUCT AND COMPANY IDENTIFICATION

Product: RIT® Fiber Reactive Tie-Dye Kit

Phoenix Brands
0800

2855 N. Franklin Rd., #7
Indianapolis, Indiana 46219 USA

Consumer Service Telephone Number: 1-866-794-

Emergency Contact: PROSAR IPC
Emergency Phone Number: 1-866-794-0800

Product Description: Dry mixtures of inorganic and organic compounds

SECTION #2 – COMPOSITION, INFORMATION ON INGREDIENTS

This product contains no substances defined as *Health Hazards* or as *Physical Hazards* according to the requirements of 29CFR, Part 1910.1200. The identity of specific components of this product may be determined in accordance with the provisions of 29CFR, Part 1910.1200(l).

SECTION #3 – HAZARDS IDENTIFICATION

Overview – May cause skin and respiratory sensitization in some individuals.

Route of Exposure - Inhalation

Inhalation of the components of this product does not pose a significant risk to health when used according to instructions and with appropriate protective measures (see Section #8). Inhalation of dust or mists of solutions prepared from this product may irritate the nose, throat, lungs and upper respiratory tract. ALTHOUGH RARE, SENSITIZATION AND/OR ASTHMATIC EFFECTS ARE POSSIBLE IN SOME EXPOSED, UNPROTECTED INDIVIDUALS. Call for medical assistance IMMEDIATELY IF TIGHT CHEST, HARD BREATHING, COUGH, CHEST PAIN, ASTHMATIC ATTACK, LUNG SPASMS, FAINTING, WHEEZING, ITCHY RUNNY OR BLOCKED NOSE, DIZZINESS OR OTHER RESPIRATORY OR CNS SYMPTOMS ARE PRESENT.

Route of Exposure - Skin

Skin contact may produce mild irritation, particularly on abraded or sensitive skin. In some individuals, some components of these products may produce sensitization following prolonged contact.

Route of Exposure - Eyes

Contact with the eyes may produce irritation.

Route of Exposure - Ingestion

Health effects from unintentional swallowing any amount of this product have not been determined..

SECTION #4 – FIRST AID MEASURES

First Aid - Inhalation

If signs and symptoms of irritation are observed, immediately move person to fresh air. Perform artificial respiration and/or seek medical attention if necessary.

SECTION #4 – FIRST AID MEASURES CONTINUED...

Material Safety Data Sheet

RIT® Fiber Reactive Tie-Dye Kit

Page 2 of 4
Rev. Date
05/27/09

First Aid - Skin

Remove contaminated clothing. Wash affected area with soap, and rinse with water for at least fifteen minutes. Seek medical attention if necessary.

First Aid - Eyes

Flush affected areas with water for at least 15 minutes. Seek medical assistance.

First Aid - Ingestion

If the subject is conscious, do not induce vomiting. If unconscious or convulsive, seek immediate medical assistance. Do not attempt to give liquids to an unconscious person.

SECTION #5 – FIRE FIGHTING MEASURES

Flash Point: not applicable

Lower Explosive Limit (%): not applicable

Autoignition Temperature: not applicable

Flammability Class: not applicable

Upper Explosive Limit (%): not applicable

Fire and Explosion Hazards

Some components of this product may decompose when exposed to flame, very high temperatures, or by reaction with incompatible materials (see Section #10 for incompatible materials). Fires or explosions involving this product may emit carbon monoxide, smoke, and irritant decomposition byproducts.

Extinguishing Media

Flood with large quantities of water.

Special Fire Fighting Instructions

If fighting a fire in which this product is present, wear a self-contained breathing apparatus with full-facepiece operated in pressure-demand or other positive pressure mode.

SECTION #6 – ACCIDENTAL RELEASE MEASURES

Steps to be taken in the event of Spills, Leaks or Release

Wear protective clothing (gloves, goggles) to prevent contact with skin or eyes. Clean up spilled material so as to minimize dispersion of dust. If excessive dusting occurs, wear appropriate respiratory protection (see Section #8). For large spills, shovel material into a container for reclamation. For small spills, flush away with large quantities of water.

Waste Disposal Methods

Dispose of in accordance with applicable Federal, State/Provincial, and local regulations.

SECTION #7 – HANDLING AND STORAGE

Store in a cool, dry place away from flames and incompatible materials (see Section #10). Keep containers tightly closed.

SECTION #8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**Ventilation**

If the product is used in a manner that generates airborne dust, provide appropriate ventilation (dilution, local exhaust) adequate to control dust concentrations in air.

Eye Protection

If eye contact with the product is possible, wear eye protection (e.g., chemical goggles) adequate to prevent eye contact and/or injury.

Skin Protection

Wear gloves suitable for protection against irritant chemicals. Rubber, PVA, or nitrile are satisfactory materials.

Respiratory Protection

Respiratory protection is not normally required in the use of this product. If this product is used in a manner that generates dust not controlled by ventilation, wear a NIOSH-approved respirator having a configuration (class, type of facepiece, filters, assigned protection factor, etc.) appropriate to the concentration of dust or mist generated. For guidance on the selection and use of respiratory protection, consult American National Standard Z88.2-1992 (ANSI, New York, NY 10036 USA).

Work/Hygienic Practices

To avoid ingestion of material, wash hands and face before eating, drinking, or using tobacco.

SECTION #9 – PHYSICAL AND CHEMICAL PROPERTIES

Solubility (H₂O): soluble

Percent Volatiles: not applicable

Vapor pressure: not applicable

Vapor density: not applicable

Appearance: Colored powders, odorless

SECTION #10 – STABILITY AND REACTIVITY**Conditions to Avoid**

The product is stable at room temperature. Hazardous polymerization will not occur.

Incompatible Materials

Strong oxidizing agents; strong acids.

Hazardous Decomposition Products

If this product is exposed to flame, carbon monoxide, smoke, and irritant gases may be released.

SECTION #11 – TOXICOLOGICAL INFORMATION

Some components of this product have produced both positive and negative findings in *in vitro* mutagenicity assays. None of the components of this product are classified as potential or demonstrated human carcinogens by IARC, NTP, or OSHA.

SECTION #12 – ECOLOGICAL INFORMATION

Material Safety Data Sheet

RIT® Fiber Reactive Tie-Dye Kit

Page 4 of 4
Rev. Date
05/27/09

No data available.

The product is not expected to present an environmental hazard.

SECTION #13 – DISPOSAL CONSIDERATIONS

Dispose of in accordance with applicable Federal, State/Provincial, and local regulations. Empty containers should be triple rinsed before disposal.

SECTION #14 – TRANSPORTATION INFORMATION

DOT Hazard Class: Non-hazardous
Proper Shipping Name: Not Regulated
WHMIS Hazard Classification(s): Health:1 Flammability: 1 Reactivity: 0

SECTION #15 – REGULATORY INFORMATION

SARA Title III - Hazard Class(es): Acute Health Hazard

SARA Title III - Section 313 Supplier Notification: This product contains no chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act (EPCRA) of 1986 and of 40 CFR 372.

SECTION #16 – OTHER INFORMATION – DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these which are commonly used include the following: CAS #: This is the Chemical Abstract Service Number which uniquely identifies each constituent. It is used for computer-related searching. EXPOSURE LIMITS IN AIR: ACGIH – American Conference of Governmental Industrial Hygienists, a professional association which establishes exposure limits. TLV – Threshold Limit Value – an airborne concentration of a substance which represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour Time Weighted Average (TWA), the 15-minute Short Term Exposure Limit (STEL), and the instantaneous Ceiling Limit. Skin adsorption effects must also be considered.

OSHA – U. S. Occupational Safety and Health Administration. PEL – Permissible Exposure Limit – this exposure value means exactly the same as a TLV, except that it is enforceable by OSHA. NIOSH is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (OSHA). NIOSH issues exposure guidelines called Recommended Exposure Levels (RELs). FLAMMABILITY LIMITS IN AIR: Much of the information related to fire and explosion is derived from the National Fire Protection Association (NFPA). LEL – the lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source. UEL – the highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.

DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES

The foregoing data has been compiled from sources that the company, in good faith, believes to be dependable and is accurate and reliable to the best of our knowledge and belief. However, the company cannot make any warranty or representation respecting the accuracy or completeness of the data, and assumes no responsibility for any liability or damages relating thereto or for advising you regarding the protection of your employees or others. Users should make their own tests to determine the applicability of such information or the suitability of any products for specific use.