# **SAFETY DATA SHEET**

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Fabric Whitener/Brightener Product Code: FABRICWHITE

MANUFACTURER'S NAME: NAKOMA PRODUCTS, LLC

ADDRESS : 8455 S. 77th Avenue

Bridgeview, IL 60455

EMERGENCY PHONE : 855-363-8781

INFORMATION PHONE : 855-363-8781

Product Use: Fabric whitener solution

# 2. HAZARDS IDENTIFICATION

### **CLASSIFICATION**

Skin Corrosion/Irritation 3
Eye Damage/Irritation 2B



SIGNAL WORD: Warning

# **Hazard Statements**

Causes mild skin irritation
Causes eye irritation

### **Precautionary Statements**

Wash hands thoroughly after handling

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue . . .

rinsing

If skin irritation occurs: Get medical advice/attention If eye irritation persists: Get medical advice/attention

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name                            | CAS No.    | Percent |
|--|------------|---------|
| LINEAR ALKYLBENZENE SULFONATE            | 25155-30-0 | 8.70    |
| ALCOHOLS, C12-14, SECONDARY, ETHOXYLATED | 84133-50-6 | 3.00    |

# 4. FIRST AID MEASURES

**INHALATION:** Remove to fresh air. Administer oxygen if needed. Apply artificial respiration if breathing has stopped. Get medical attention.

**EYE CONTACT:** Wash immediately with large volumes of fresh water for at least 15 minutes. Get medical attention.

SKIN CONTACT: Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists.

**INGESTION:** If swallowed, do not induce vomiting. Get immediate medical attention.

SDS for: FABRICWHITE Page 1 of 4

Printed: 9/12/2019

Most important symptoms/effects, acute and delayed: Repeated exposure may cause skin dryness or cracking.

Indication of immediate medical attention and special treatment needed: None known.

#### 5. FIRE FIGHTING MEASURES

Suitable and unsuitable extinguishing media: Foam, Alcohol foam, CO2, Dry chemical, Water fog. Water spray may be ineffective.

Specific hazards arising from the chemical: Closed containers may burst from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will not support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.

**Special equipment and precautions for fire-fighters:** Water may be used to cool containers to prevent pressure build-up and bursting when exposed to extreme heat. Wear goggles and use self-contained breathing apparatus. If water is used, fog nozzles are preferred.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment, and emergency procedures:** Avoid breathing vapors. Ventilate area. Remove all sources of ignition.

Methods and materials for containment and cleaning up: Clean up with absorbent material and place in closed containers for disposal.

#### 7. HANDLING AND STORAGE

**Precautions for safe handling:** Keep closure tight and container upright to prevent leakage. Open container slowly. Do not get in eyes. Avoid skin contacct and contact with clothing. Do not take internally.

**Conditions for safe storage, including any incompatibilities:** Store and use in cool, dry, well-ventilated areas. Keep containers closed when not in use. Keep away from excessive heat or open flame.

#### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

| Chemical Name / CAS No.  | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|--------------------------|----------------------|-----------------------|-----------------------|
| LINEAR ALKYLBENZENE      | Not established      | Not established       |                       |
| SULFONATE<br>125155-30-0 |                      |                       |                       |
| ALCOHOLS, C12-14,        | Not established      | Not established       |                       |
| SECONDARY.               | Not established      | TVOT CSTABIISTICA     |                       |
| ETHOXYLATED              |                      |                       |                       |
| 84133-50-6               |                      |                       |                       |

**Appropriate engineering controls:** Ventilation should be sufficient to prevent inhalation of any vapors. General dilution and/or local exhaust ventilation in volume to keep PEL/TLV of most hazardous ingredient below acceptable limit and lel below stated limit.

# Individual protection measures:

**Respiratory protection:** None under normal use. Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination or particles and vapor. In confined areas, use an approved air line respirator or hood. Self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

SDS for: FABRICWHITE Page 2 of 4

Protective gloves: None under normal use. Use solvent-resistant for prolonged or repeated contact.

**Eye protection:** None under normal use. However, use of safety glasses with splash guards or full face shield should be used if indicated.

**Other protective clothing or equipment:** None under normal use. However, use of solvent-resistant aprons or other clothing is recommended. Eye washes and safety showers in the workplace are recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, amber

liquid

Vapor Pressure: Not determined

Vapor Density: Heavier than air

**Density:** 1.00-1.01

Freezing point: Not determined

**Boiling point: 100 C** 

**Evaporation rate:** Slower than ether

Explosive Limits: Not applicable

**Decomposition temperature:** Not determined

Partition coefficient (n- Not determined

octanol/water):

Odor: Sweet

Odor threshold: Not determined

**pH**: 7.5-8.0

Melting point: Not determined

Solubility: Complete

Flash point: None

Flammability: Will not burn

Autoignition temperature: Not determined

Viscosity: Not determined

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Chemical stability: Stable under normal storage and handling conditions.

Possibility of hazardous reactions: None known.

Incompatible materials: Strong oxidizing agents.

No data

Hazardous decomposition products: None known.

No data

#### 11. TOXICOLOGICAL INFORMATION

Product does not present an acute toxicity hazard based on known or supplied information.

# 12. ECOLOGICAL INFORMATION

Long-term ecological studies have not been conducted for this product.

### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of this document for hazard cautionary information.

### 14. TRANSPORT INFORMATION

By land: Not regulated.

By water: Not regulated.

SDS for: FABRICWHITE Page 3 of 4

Printed: 9/12/2019

# 15. REGULATORY INFORMATION

All ingredients are either listed on the TSCA inventory or are exempt.

This product can expose you to chemicals including those listed below, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www. P65Warnings.ca.gov.

- None

# 16. OTHER INFORMATION

Date revised: 2019-09-12 Revision 0

Date Printed: 2019-09-12

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. BECAUSE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO RESPONSIBILITY FOR ITS USE.

SDS for: FABRICWHITE Page 4 of 4

Printed: 9/12/2019